

## AMENDMENTS TO THE CLAIMS

1           1.       (Currently Amended) A system for managing data in multiple data  
2     processing devices using common data paths, comprising:  
3           a first data processing system comprising a memory, wherein said memory  
4     comprises a cacheable coherent memory space; and  
5           a second data processing system communicatively coupled to said first data  
6     processing system, said second data processing system comprising at least one bridge,  
7     wherein said bridge is operable to perform an uncacheable remote access to said  
8     cacheable coherent memory space of said first data processing system; and  
9           wherein said uncacheable remote access performed by said bridge comprises  
10    writing data to said memory of said first data processing system for incorporation into  
11    said cacheable coherent memory space of said first data processing system;  
12           wherein said data written by said bridge during said uncacheable remote access  
13    participates in a cacheable coherent memory protocol in said cacheable coherent memory  
14    space;  
15           data said written by the bridge during said uncacheable remote access is processed  
16    by said first data processing system to convert the data to conform to a cacheable  
17    coherent memory protocol in the cacheable memory space and wherein the converted  
18    data in said cacheable coherent memory space is accessed by an agent subsequent to said  
19    conversion; and  
20           wherein the remote access by said bridge to perform said data write is performed  
21    in accordance with a set of predetermined ordering rules.

1           2.       (Canceled)

1           3.       (Previously Presented)       The system of claim 1, wherein said  
2     uncacheable remote access performed by said bridge comprises reading data from said  
3     cacheable coherent memory space of said first data processing system.

1           4.       (Canceled)

1           5.       (Canceled)

1           6.       (Currently Amended) The system of claim 5 1, wherein said remote  
2 access by said bridge and said subsequent access by said agent conform to a producer-  
3 consumer protocol, wherein said bridge corresponds to the producer and said agent  
4 corresponds to the consumer of said producer-consumer protocol.

1           7.       (Previously Presented)       The system of claim 6, wherein said data  
2 written by said bridge comprises a payload and a flag, with said flag and said payload  
3 both residing in a node defined by said first data processing system.

1           8.       (Canceled)

1           9.       (Previously Canceled)

1           10.     (Currently Amended) A method for managing data in multiple data  
2 processing devices using common data paths, comprising:  
3       establishing a cacheable coherent memory space in a first data processing system;  
4 and  
5       accessing said cacheable coherent memory space with a second data processing  
6 system communicatively coupled to said first data processing system, said second data  
7 processing system comprising at least one bridge;  
8       wherein said bridge performs an uncacheable remote access to said cacheable  
9 coherent memory space of said first data processing system;  
10       wherein said uncacheable remote access performed by said bridge comprises  
11 writing data to said memory of said first data processing system for incorporation into  
12 said cacheable coherent memory space of said first data processing system;  
13       wherein data written by said bridge during said uncacheable remote access  
14 participates in a cacheable coherent memory protocol in said cacheable coherent memory  
15 space;

16        wherein said data written by said bridge during an uncacheable remote access is  
17        processed by said first data processing system to convert the data to conform to a  
18        cacheable coherent memory protocol in the cacheable memory space and wherein the  
19        converted data in said cacheable coherent memory space is accessed by an agent  
20        subsequent to said conversion; and  
21        wherein the remote access by said bridge to perform said data write is performed  
22        in accordance with a set of predetermined ordering rules.

1            11.        (Canceled)

1            12.        (Previously Presented)        The method of claim 10, wherein access  
2        performed by said bridge comprises reading data from said cacheable coherent memory  
3        space of said first data processing system.

1            13.        (Canceled)

1            14.        (Canceled)

1            15.        (Currently Amended) The method of claim ~~14~~ 11, wherein said remote  
2        access by said bridge and said subsequent access by said agent conform to a producer-  
3        consumer protocol, wherein said bridge corresponds to the producer and said agent  
4        corresponds to the consumer of said producer-consumer protocol.

1            16.        (Previously Presented)        The method of claim 15, wherein said data  
2        written by said bridge comprises a payload and a flag, with said flag and said payload  
3        both residing in a node defined by said first data processing system.

1            17.        (Canceled)

1            18.        (Previously Canceled)